SAFETY DATA SHEET



Revision Date 13-May-2015

Version 1.01

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Matrix® Rust Eradicator

Product code W.20366-JD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Professional Carpet Cleaning Professional Use Only

1.3 Details of the supplier of the safety data sheet

Manufacturer Address

Jon-Don 400 Medinah Rd Roselle, IL 60172 (800) 556-6366

E-mail Address No information available

1.4 Emergency telephone number

Emergency telephone number Chemtrec: 1-800-424-9300 for US

+1 703-527-3887 outside US

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Serious eye damage/eye irritation Category 1

2.2 Label elements

Signal Word

Danger

Hazard Statements

Causes serious eye damage



Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

2.3 Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

3. Composition/Information on Ingredients

Substance

Chemical Name	CAS-No	Weight %
AMMONIUM BIFLUORIDE	1341-49-7	10 - 20

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice Immediate medical attention is required.

Eye contact Keep eye wide open while rinsing. Immediate medical attention is required. Rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub

affected area.

Skin contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water. Remove all contaminated clothes and shoes.

Inhalation Move to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. Immediate medical attention is required. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Recommendations for immediate medical care and/or special treatment

Notes to physician Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Specific hazards arising from the substance or mixture

Special Hazard

The product causes burns of eyes, skin and mucous membranes Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take

up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure

adequate ventilation. Avoid contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide

appropriate exhaust ventilation at machinery.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable

gloves and eye/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Materials to Avoid

No materials to be especially mentioned.

8. Exposure controls/personal protection

8.1 Occupational Exposure Limits (OEL)

	Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Ī	AMMONIUM	TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³			
	BIFLUORIDE		TWA: 2.5 mg/m ³				
	1341-49-7		dust				

8.2 Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection Wear protective gloves/ protective clothing.

Respiratory protection If irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. NIOSH/MSHA approved respiratory protection should be worn if exposure is

anticipated.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state
Appearance
Color
Color
Odor
Low

Odor Threshold No information available

Property Values Remarks • Methods

pH 5.5

Melting/freezing pointNo information availableBoiling point/boiling rangeNo information available

Flash Point No information available

Evaporation rate No Data Available

Flammability (solid, gas)

No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity 1.036 g/cc **Water solubility** Soluble in water

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive propertiesNo information available **Oxidizing Properties**No information available

9.2 Other information

Volatile organic compounds (VOC) None

content

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Exposure to air or moisture over prolonged periods.

10.5 Incompatible Materials

None known based on information supplied.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

mg/kg mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
AMMONIUM BIFLUORIDE	130 mg/kg (Rat)	-	-
1341-49-7			

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

- No information available
- Component Information
- No information available

Eye damage/irritation

Product Information

- · No information available
- Component Information
- · No information available

Respiratory or skin sensitization

Product Information

- No information available
- Component Information
- · No information available

Germ Cell Mutagenicity

Product Information

- · No information available
- **Component Information**
- · No information available

Carcinogenicity

- The table below indicates whether each agency has listed any ingredient as a carcinogen
- This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B)

Reproductive toxicity

Product Information

No information available

Component Information

• No information available

STOT - single exposure

No information available

STOT - repeated exposure

- Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen
- Avoid repeated exposure

Possible risks of irreversible effects

Other adverse effects

Target Organs

No information available

Product Information

· No information available

Component Information

· No information available

Aspiration hazard

Product Information

- No information available
- Component Information
- · No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity No information available

11.09 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste Disposal Guidance

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

15. Regulatory information

15.1 International Inventories

TSCA Complies DSL Complies

EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
AMMONIUM BIFLUORIDE	1.0
1341-49-7	

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

16. Other information

NFPA Health Hazard 3 Flammability 0 Instability 0 Physical and chemical hazards -

HMIS Health Hazard 3 Flammability 0 Physical Hazard 0 Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

Revision Date 13-May-2015

STEL (Shart Taren Evragura Limit)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) TWA (time-weighted average)

Prepared By Chemspec Regulatory Affairs/Product Safety
Revision Date 13-May-2015
Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet